



Davy Xie Service Consultant

sales5@chinasprayer.com.cn

WhatsApp+86 13857602908



NO.2388,HAIFENG ROAD BINHAI INDUSTRIAL ZONE,TAIZHOU CITY,ZHEJIANG PRDVINCE,CHINA

Scan it >>>

Enter showroom

www.farmguard.com.cn



GB JB RoHS

professional experience 30+ years

SPRAYER

GUANGFENG



TAIZHOU GUANGFENG PLASTIC CO.,LTD.

ADD:No.2388 Haifeng Road,Binhai Industrial Zone,
Taizhou City,Zhejiang Province,China

TEL:0086-576-88129396

FAX:0086-576-88129398

Mail:sales5@chinasprayer.com.cn

WWW.Farmguard.com.cn

台州市广丰塑业有限公司
TAIZHOU GUANGFENG PLASTIC CO.,LTD.



台州市广丰塑业有限公司1995年开始生产喷雾器,已有20多年的经营,公司厂房占地面积为2万平方米,建筑面积为3万多平方米,是国内喷雾器行业的引领者与标准制定者之一。

公司主要经营电动喷雾器、手动喷雾器、太阳能喷雾器、弥雾送风机、各种农用喷雾器及配件和其他园艺喷壶工具等,并有研发、生产与销售为一体强大的队伍。公司于2009年参与喷雾器国家标准GB/T24679,2015年参与行业标准JB/T6661-2015的起草,是首批通过国家强制性CCC认证的公司,本公司还通过了CE、ISO9001、SONCAP、ROHS等多种体系认证。公司获得行业内多项荣誉:中国信用企业认证体系示范单位,进出口行为规范企业,2006年荣获海关A类管理企业,2015年荣获台州市级高新技术企业称号,浙江省科技型中小企业,台州市进出口诚信企业(A级)称号,台州市出口名牌企业称号,多年获得台州湾新区“十强出口企业”称号。

公司拥有自主进出口权,产品出口到80多个国家和地区。公司共计拥有60多项设计发明专利,在业内排名前列;公司拥有先进的生产设备,完善的检测系统,以过硬的产品质量赢得了众多世界知名企业和国内外细分行业领先企业的青睐。公司以“为客户提供优质的产品与专业的服务”为使命,秉承“诚信负责、知行合一、精益求精、臻于至善、创造价值、利他之心”的核心价值观,以“做人重品德,做事重品质”的核心经营理念,经过多年的不懈努力,在技术研发、服务模式、制造平台、客户资源、管理体系、产品及品牌等方面具有突出的优势,是国内领先的喷雾器生产企业。

台州市广丰塑业有限公司热忱欢迎国内外客户光临洽谈业务,并期待与您真诚合作,我们坚信在合作与交流中将会与您共创一个辉煌的未来!

Taizhou Guangfeng Plastic Co., Ltd began manufacturing sprayers since the year of 2005, after the development of over 20 years, our company now has manufacturing plant covers an area of 20,000 square meters and entire covered area takes 30,000 square meters. We are one of drafting units for national standard and a leader in sprayer industry. Battery Knapsack Sprayers, Manual Knapsack Sprayers, Solar Powered Knapsack Sprayers, Blowers, Garden Sprayers and Spare Parts For Sprayers are our main products. We have strong R&D Department, Production Department, Marketing Department, Sales Department and QC Department. Participated in drafting national standard GB/T24679 of sprayer in 2009 and drafting industry standard JB/T6661-2015 in 2015, we acquired the national compulsory CCC, CE, SONCAP, ROHS and other certificates in the first batch. Our company has gained reputation as well as a number of awards in sprayer industry. Demonstration unit of China credit enterprise certification system and well-behaved enterprise of import and export. We were classified as the customs A class management enterprise in 2006. In the year of 2015, we gained the title of "High-tech enterprise in Taizhou" and chosen a "Small and medium-sized technology-based enterprise in Zhejiang", classified as Taizhou Import and Export Trustworthy Enterprise (GRADE A) in 2019 and elected to be a brand-name export enterprise in Taizhou.

Taizhou Guangfeng Plastic Co., Ltd has acquired import and export right. Our products have been exporting to over 80 countries and regions. We own over 60 patents in design and creation, which is top-ranked in sprayer field. Supported with advanced production and inspection equipment, the quality of our products is reliable and has been approved by both domestic and overseas markets. Our company's mission is to provide customers with cost-effective products and professional services. In accordance with core values of "Be honest and responsible, To honor commitment and take practical actions, Keep improving, Be at our best, Create Value, Be altruistic". We have always been adhering to the management principle of "Be a moral man, do remarkable things". After decades' development and improvement, our company has established our own core competences in technology development, service pattern, manufacture platform, customer resource, management system, products and branding, which has made us an expert and leader among domestic sprayer manufacturers.

Taizhou Guangfeng Plastic Co., Ltd is sincerely looking forward to your contacts and visits. We will be more than pleasant to work with you.

企业荣誉

Enterprise Strength



尼日利亚
SONCAP认证



质量管理体系认证

RoHS

欧盟
RoHS认证



欧洲CE认证
The European Standard
Certificate CE




国家3C认证
China Compulsory
Certification

行业标准起草单位
Industry Standard Drafting Unit
(JB/T 6661-2015)

国家标准起草单位

National Standard Drafting Unit
(GB/T 24679.2-2009/ISO 19932.2:2006)



产品目录

Product Catalogue

手动喷雾器 Hand sprayer	01-11	手提动力喷雾器 Handle power Sprayer	37	便携式电动喷雾器 Portable electric Sprayer	43	喷雾软管 Spray hose	50
手电(2合1)喷雾器 Battery and Manual(2 in 1) Knapsack sprayer	13-35	播种机 Seeder Machine	38	家用园林喷雾器 Garden sprayer	44-47	喷雾器配件 Sprayer accessories	51-58
电动喷雾器 Electric Sprayer		施肥器 Fertilizer Applicator	39	高压枪系列 High pressure gun	48	隔膜泵结构图 Diaphragm pump Structure diagram	59
太阳能喷雾器 Solar power sprayer		迷雾机 Blower	40	闪镶贴片式滴灌带 Drip tape with emitter inside	49	国际插头概况简图 The world plug drawing	60
园林工具 Gardentools	36	动力喷雾器 Knapsack power sprayer	41-42				



使命、愿景、核心价值观

MISSION、VISION、CORE VALUES

使命：为客户提供优质的产品与专业的服务

愿景：打造喷雾器行业标杆，共建人文幸福企业

核心价值观：诚信负责、知行合一、精益求精、臻于至善、创造价值、利他之心

VISION: CREATE A BENCHMARK IN SPRAYER INDUSTRY,
BUILD A HUMANISTIC AND HAPPY ENTERPRISE TOGETHER.

MISSION: OFFERING CUSTOMERS COST-EFFECTIVE PRODUCTS AND
PROFESSIONAL SERVICES.

CORE VALUES: BE HONEST AND RESPONSIBLE
TO HONOR COMMITMENT AND TAKE PRACTICAL ACTIONS
KEEP IMPROVING、BE AT OUR BEST、CREATE VALUE、
BE ALTRUISTIC

HAND SPRAYER SERIES

手动喷雾器系列

产品说明:

药箱仿人体背部曲线设计, 使用舒适, 主要零部件采用优质材料及最新生产工艺加工而成, 皮碗采用耐腐蚀、耐磨损材料合成。气室容量大, 操作轻便, 升压快, 省力和防渗漏的可左右手操作的系列产品。

Product Features:

Comfortable to use, medical chest is designed according to human body physical characteristic. Main parts use high quality materials and the latest processing technology, the bowl is made by corrosion-resistant and wear-resistant materials, series products of large capacity of the air compartment, large flow piston pump, easy operation, quick pressure arising, labor-saving, anti leakage and both right and left hand operation.



0.2-0.4 Mpa
常压(Normal Pressure)



GF-16S-01ZK
专利号: 201320800433.6
Patent NO.



GF-16S-19Z



GF-16S-01Z



GF-16S-02Z



GF-16S-21Z

(Model)型号	GF-16S-01ZK	GF-16S-01Z / 19Z	GF-16S-02Z	GF-16S-21Z
(Capacity)容量	16L	16L	16L	16L
(Gross Weight)重量	3.5kgs	3.3kgs	3.2/2.8kgs	3.2/2.8kgs
(Packing Quantity)包装数量	1PC	1PC	1PC	1PC
(Packing Dimension)包装尺寸	38 × 18.5 × 57CM	38 × 18.5 × 52CM	38 × 18.5 × 52CM	38 × 18.5 × 52CM
(20FT QTY)20小柜数量	700PCS	810PCS	810PCS	810PCS
(40HQ QTY)40高柜数量	1700PCS	1910PCS	1910PCS	1910PCS





GF-18S-01Z



GF-20S-01Z



GF-20S-17Z



GF-20S-05Z
专利号 201320800673.6
Patent NO.



GF-16S-08Z



GF-20S-02Z



GF-20S-04Z



GF-16S-17Z



GF-16S-09Z

Good to protect the worker's
back from the wet.
防湿背



(Model)型号	GF-18S-01Z	GF-20S-01Z/02Z	GF-20S-04Z
(Capacity)容量	18L	20L	20L
(Gross Weight)重量	3.5kgs	3.5kgs/3.2kgs/3.0kgs	3.65kgs
(Packing Quantity)包装数量	1PC	1PC	1PC
(Packing Dimension)包装尺寸	41 × 20 × 52CM	41 × 20 × 52CM	41 × 20.5 × 53CM
(20FT QTY)20小柜数量	700PCS	700PCS	700PCS
(40HQ QTY)40高柜数量	1650PCS	1650PCS	1650PCS

(Model)型号	GF-20S-05Z / 17Z	GF-16S-08Z	GF-16S-09Z	GF-16S-17Z
(Capacity)容量	20L	16L	16L	16L
(Gross Weight)重量	3.55kgs	3.3kgs	3.0kgs	3.2kgs
(Packing Quantity)包装数量	1PC	1PC	1PC	1PC
(Packing Dimension)包装尺寸	41 × 20 × 52.5CM	39 × 20 × 52CM	39 × 20 × 52CM	38 × 20 × 52.5CM
(20FT QTY)20小柜数量	700PCS	700PCS	700PCS	700PCS
(40HQ QTY)40高柜数量	1650PCS	1650PCS	1650PCS	1650PCS



GF-16S-31Z



GF-16S-30Z

专利号 | 200820082489.1
Patent NO. |



GF-16S-32Z



GF-16S-033Z

(Model)型号	GF-16S-30Z	GF-16S-31Z	GF-16S-32Z
(Capacity)容量	16L	16L	15L/16L
(Gross Weight)重量	3.7kgs	3.4kgs	3.2kgs
(Packing Quantity)包装数量	1PC	1PC	1PC
(Packing Dimension)包装尺寸	38 × 18.5 × 52CM	38 × 18.5 × 52CM	38 × 18.5 × 52CM
(20FT QTY)20小柜数量	810PCS	810PCS	810PCS
(40HQ QTY)40高柜数量	1910PCS	1910PCS	1910PCS



A-09



GF-20S-08C



GF-20S-09C



GF-20S-11C

(Model)型号	GF-20S-08C	GF-20S-09C	GF-20S-11C
(Capacity)容量	20L	20L	20L
(Gross Weight)重量	5.8kgs	5.1kgs	3.6kgs
(Packing Quantity)包装数量	1PC	1PC	1PC
(Packing Dimension)包装尺寸	40 × 19 × 56CM	38 × 17 × 56.5CM	39.5 × 19.5 × 53CM
(20FT QTY)20小柜数量	610PCS	770PCS	720PCS
(40HQ QTY)40高柜数量	1600PCS	1870PCS	1700PCS



GF-20S-01C GF-18S-01C GF-16S-01C



可选颜色



GF-20S-04C GF-18S-04C GF-16S-04C



GF-20S-02C GF-18S-02C GF-16S-02C



GF-20S-03C



GF-20S-05C GF-18S-05C GF-16S-05C



(Model)型号	GF-20S-01C/02C	GF-18S-01C/02C	GF-16S-01C/02C	GF-20S-03C
(Capacity)容量	20L	18L	16L	20L
(Gross Weight)重量	3.6kgs	3.5kgs	3.3kgs	3.6kgs
(Packing Quantity)包装数量	1PC	1PC	1PC	1PC
(Packing Dimension)包装尺寸	39.5 × 19.5 × 53CM	39.5 × 19.5 × 53CM	39.5 × 18.5 × 52CM	41 × 20 × 53CM
(20FT QTY)20小柜数量	720PCS	720PCS	740PCS	700PCS
(40HQ QTY)40高柜数量	1700PCS	1700PCS	1850PCS	1600PCS

(Model)型号	GF-20S-04C/05C	GF-18S-04C/05C	GF-16S-04C/05C
(Capacity)容量	20L	18L	16L
(Gross Weight)重量	3.6kgs	3.6kgs	3.4kgs
(Packing Quantity)包装数量	1PC	1PC	1PC
(Packing Dimension)包装尺寸	42 × 20 × 52.5CM	42 × 20 × 52.5CM	39 × 18.5 × 52.5CM
(20FT QTY)20小柜数量	650PCS/800PCS	650PCS	720PCS
(40HQ QTY)40高柜数量	1580PCS	1580PCS	1800PCS



GF-12S-07C



产品特点:

- 1.大弧面设计,符合人体曲线,背负舒适、紧贴;
- 2.强壮的线条,加上凹凸的细节处理,层次分明,药箱坚固有力量感;
- 3.大气泵,升压快,操作轻便、省力。

Product Features:

- 1.Large arc design,according to human body curve,can be comfortable and closed to;
- 2.Strong lines,plus the bump details,clear,strong sense of power;
- 3.Big air compartment,quick pressure arising,high efficacy,easy operation.



GF-12S-06C

GF-16S-06C

GF-18S-06C

GF-20S-06C



GF-20S-10C



GF-16S-12C



GF-16S-11C




(Model)型号	GF-20S-06C	GF-18S-06C	GF-16S-06C	GF-12S-06C/07C
(Capacity)容量	20L	18L	16L	12L
(Gross Weight)重量	3.6kgs	3.5kgs	3.4kgs	3.2kgs
(Packing Quantity)包装数量	1PC	1PC	1PC	1PC
(Packing Dimension)包装尺寸	39.5×20.5×53CM	39×20×53CM	38×19.5×52CM	35×18×49.5CM
(20FT QTY)20小柜数量	680PCS	680PCS	730PCS	900PCS
(40HQ QTY)40高柜数量	1637PCS	1690PCS	1770PCS	2190PCS

(Model)型号	GF-20S-10C	GF-16S-12C	GF-16S-11C
(Capacity)容量	20L	16L	16L
(Gross Weight)重量	3.2kgs	3.4kgs	3.4kgs
(Packing Quantity)包装数量	1PC	1PC	1PC
(Packing Dimension)包装尺寸	39×19×52.5CM	38×17.5×52CM	37×18.5×52CM
(20FT QTY)20小柜数量	750PCS	750PCS	790PCS
(40HQ QTY)40高柜数量	1650PCS	1920PCS	1910PCS

SPRAYER EXPLODED VIEW

部件分解图



- | | |
|-----|---|
| 1. | Adjustable nozzle cap 可调节喷嘴帽 |
| 2. | Adjustable nozzle sealing washer 可调节喷嘴密封圈 |
| 3. | Adjustable nozzle 可调节喷嘴 |
| 4. | Lance sealing washer 喷杆密封圈 |
| 5. | Locking sleeve 锁紧套 |
| 6. | Screw ring of Lance connector 喷杆连接器螺旋环 |
| 7. | Lance 喷杆 |
| 8. | Switch 开关 |
| 9. | sealing washer I of filter screen 滤网密封圈1 |
| 10. | sealing washer II of filter screen 滤网密封圈2 |
| 11. | Filter screen of switch 开关滤网 |
| 12. | Key locker 锁扣 |
| 13. | Switch pressure bar 开关压力把手 |
| 14. | spring 弹簧 |
| 15. | Sealing washer of protecting bush 护套密封圈 |
| 16. | Protecting bush of switch 开关护套 |
| 17. | Seal insert 胶管珠 |
| 18. | Nut of hose connector 胶管连接器螺帽 |
| 19. | Hose 胶管 |
| 20. | Carrying fixer 背带扣 |

- | | |
|-----|--------------------------------------|
| 21. | Carrying strap hook 背带钩 |
| 22. | Rocker bar fastener 摇杆紧固夹 |
| 23. | Screw bolt 螺丝栓 |
| 24. | Carrying strap fixer 背带夹 |
| 25. | Pump 唧筒 |
| 26. | Seal ball 密封球 |
| 27. | Seal valve 密封阀 |
| 28. | Miller 搅拌器 |
| 29. | Cup ring 皮碗 |
| 30. | Carrying strap 背带 |
| 31. | Rocker rod 摇杆 |
| 32. | Air compartment 气室 |
| 33. | Medical chest 桶 |
| 34. | Sealing washer wachev 羊毛垫圈 |
| 35. | Rocker bar sleeve 摇杆套 |
| 36. | Pressure lid of air compartment 气室压帽 |
| 37. | Filter screen of medical chest 滤网 |
| 38. | Medical chest lid 桶盖 |
| 39. | Rocker bar fixer 摇杆夹 |
| 40. | Split pin 夹针销 |

SPRAY NOZZLE
ATOMIZATION DISPLAY

喷头雾化展示



BATTERY AND MANUAL (2 in1) KNAPSACK SPRAYER

手电(2合1)喷雾器

适用范围:

适用于小麦、玉米、水稻、果树、温室大棚、葡萄、烟草、茶树、园艺等农业作物的施药，也用于大型场所的消毒和卫生防疫，特别适用于野外、高山、茶园等比较偏远地区的连续工作。

Applicable scope:

Well suited for wheat, corn, rice, fruit tree, greenhouses, grapes, tobacco, tea, horticulture and other agriculture crops spraying, also suited for the large spaces pest control and sanitation prevention. An excellent sprayer designed for continuous work for remote areas in the wild, high mountains, tea plantations.



 **0.15-0.5 Mpa**
常压(Normal Pressure)



GF-20SD-01Z



GF-20SD-02Z



GF-16SD-02Z



GF-18SD-03Z



GF-16SD-01Z

(Model)型号	GF-18SD-01Z	GF-20SD-01Z	GF-18SD-02Z	GF-20SD-02Z
(Capacity)容量	18L	20L	18L	20L
(Gross Weight)重量	6.75kgs	6.8kgs	6.75kgs	6.8kgs
(Battery)电池	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PC	1PC	1PC	1PC
(Packing Dimension)包装尺寸	46 × 20 × 56CM	46 × 20 × 56CM	46 × 20 × 56CM	46 × 20 × 56CM
(20FT QTY)20小柜数量	540PCS	540PCS	540PCS	540PCS
(40HQ QTY)40高柜数量	1348PCS	1348PCS	1348PCS	1348PCS

(Model)型号	GF-16SD-01Z	GF-16SD-02Z	GF-18SD-03Z
(Capacity)容量	16L	16L	18L
(Gross Weight)重量	6.6kgs	6.6kgs	6.6kgs
(Battery)电池	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PC	1PC	1PC
(Packing Dimension)包装尺寸	44.5 × 20 × 56CM	44.5 × 20 × 56CM	46.5 × 20 × 56CM
(20FT QTY)20小柜数量	570CTNS	570CTNS	520CTNS
(40HQ QTY)40高柜数量	1410CTNS	1410CTNS	1300CTNS



产品特点:

省时、省力、药效高；打药速度快。药液雾化好、节约农药，减少污染，减轻劳动强度，操作简单，打药时只需打开电源开关就可以工作，关闭电源开关就停止。如果在户外长时间工作时碰到电池用完电时，可用手摇方式继续作业，具有独特的结构和新颖的设计。空气室具有节省人力，迅速产生高压和高效的优点。

Product Features:

Battery sprayer, reduce labor intensity, good atomization, easy to operate. Turn on the power switch to start spraying, turn off to stop. Saving time, effort, efficacy, fast speed to fight drugs, pesticide savings, reduce pollution, simply turn on the power switch can work to fight drugs, turn off the power switch on the stop. If you run out of battery power during long time outdoor work, continue to work by saving labor, quick pressure arising and high efficacy.



GF-16SD-02C



GF-16D-01C



GF-16D-02C



GF-16D-06C



GF-16SD-01C



GF-16SD-03C



GF-16D-04C



GF-16D-07C



GF-18D-01C

(Model)型号	GF-16SD-01C	GF-16SD-02C	GF-16SD-03C
(Capacity)容量	16L	16L	16L
(Gross Weight)重量	6.6kgs	6.6kgs	6.6kgs
(Battery)电池	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PC	1PC	1PC
(Packing Dimension)包装尺寸	44 × 20 × 58CM	46.5 × 20 × 56CM	44 × 20 × 58CM
(20FT QTY)20小柜数量	600CTNS	520CTNS	600CTNS
(40HQ QTY)40高柜数量	1400CTNS	1300CTNS	1400CTNS

(Model)型号	GF-16D-01C/02C/04C/07C	GF-16D-06C	GF-18D-01C
(Capacity)容量	16L	16L	18L
(Gross Weight)重量	6.0kgs	6.0kgs	6.3kgs
(Battery)电池	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PC	1PC	1PC
(Packing Dimension)包装尺寸	38 × 18.5 × 52CM	38 × 20 × 52CM	38 × 19 × 56CM
(20FT QTY)20小柜数量	720PCS	700PCS	690PCS
(40HQ QTY)40高柜数量	1850PCS	1750PCS	1650PCS



GF-12D-01Z




GF-14D-01Z



GF-16D-01Z



GF-16D-07Z



GF-16D-02Z



GF-16D-03Z



GF-16D-04Z



GF-16D-08Z



GF-16D-09Z



GF-18D-01Z

(Model)型号	GF-12D-01Z GF-14D-01Z	GF-16D-01Z GF-16D-02Z	GF-16D-03Z	GF-16D-04Z
(Capacity)容量	12L / 14L	16L	16L	16L
(Gross Weight)重量	5.5kgs	6.5kgs/5.8kgs	6.2kgs	6.0kgs
(Battery)电池	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PC	1PC	1PC	1PC
(Packing Dimension)包装尺寸	36 × 19 × 45CM	38 × 18.5 × 52CM	40.5 × 20 × 48.5CM	38 × 20.5 × 50CM
(20FT QTY)20小柜数量	870PCS	790PCS	720PCS	780PCS
(40HQ QTY)40高柜数量	2105PCS	1850PCS	1730PCS	1750PCS

(Model)型号	GF-16D-07Z	GF-16D-08Z	GF-16D-09Z	GF-18D-01Z
(Capacity)容量	16L	16L	16L	20L
(Gross Weight)重量	5.5kgs	5.5kgs	5.5kgs	6.0kgs
(Battery)电池	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PC	1PC	1PC	1PC
(Packing Dimension)包装尺寸	38 × 20.5 × 50CM	38 × 20.5 × 50CM	38 × 20.5 × 50CM	38 × 22 × 50CM
(20FT QTY)20小柜数量	780PCS	780PCS	780PCS	700PCS
(40HQ QTY)40高柜数量	1750PCS	1750PCS	1750PCS	1650PCS



- 一次充电连续喷8小时
- 省时、省力、省液
- 压力高，喷雾细，用电省
- 智能三段式充电方式保证蓄电池寿命长久
- 每台产品配有多种喷头，
- 可根据不同农作物及间距进行调节，可配防风罩

- Allow 8 hours running after each charging;
- Time-saving, labor-saving and liquid-saving;
- High-pressure, fine spray mist. Power-saving;
- Intelligent three stage charging mode to ensure the long battery life;
- Each product have several kinds of nozzles are supplied,
- Can fitting weedicide cover. Can be With the shield.



GF-20D-01Z



GF-20D-02Z



GF-16D-05Z



GF-16D-06Z




GF-20D-26Z



GF-20D-03Z



GF-20D-04Z



(Model)型号	GF-16D-05Z	GF-16D-06Z	GF-20D-26Z
(Capacity)容量	16L	16L	20L
(Gross Weight)重量	5.5kgs	6.0kgs	6.5kgs
(Battery)电池	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PC	1PC	1PC
(Packing Dimension)包装尺寸	38×20.5×50CM	38×20.5×50CM	40.5×22×50CM
(20FT QTY)20小柜数量	780PCS	780PCS	625PCS
(40HQ QTY)40高柜数量	1750PCS	1750PCS	1530PCS

(Model)型号	GF-20D-01Z	GF-20D-02Z	GF-20D-03Z	GF-20D-04Z
(Capacity)容量	20L	20L	20L	20L
(Gross Weight)重量	6.0kgs	6.25kgs	6.25kgs	6.25kgs
(Battery)电池	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PC	1PC	1PC	1PC
(Packing Dimension)包装尺寸	38×22×50CM	38.5×22×50CM	38×22×50CM	38.5×22×51CM
(20FT QTY)20小柜数量	700PCS	700PCS	700PCS	700PCS
(40HQ QTY)40高柜数量	1650PCS	1650PCS	1650PCS	1650PCS



GF-20SD-17Z



GF-20D-18Z



GF-20D-18Z-1



GF-16D-17Z



GF-20D-17Z



GF-20SD-18Z



(Model)型号	GF-16D-17Z	GF-20D-17Z	GF-16SD-17Z	GF-20SD-17Z
(Capacity)容量	16L	20L	16L	20L
(Gross Weight)重量	6.0kgs / 5.5kgs	6.25kgs	6.6kgs	6.6kgs
(Battery)电池	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PC	1PC	1PC	1PC
(Packing Dimension)包装尺寸	37 × 21.5 × 50CM	38.5 × 22 × 50CM	44 × 22 × 56CM	44.5 × 22 × 56CM
(20FT QTY)20小柜数量	700PCS	660PCS	530CTNS	520PCS
(40HQ QTY)40高柜数量	1700PCS	1600PCS	1270CTNS	1260PCS

(Model)型号	GF-16D-18Z GF-16D-18Z-1	GF-20D-18Z GF-20D-18Z-1	GF-16SD-18Z	GF-20SD-18Z
(Capacity)容量	16L	20L	16L	20L
(Gross Weight)重量	5.5kgs	6.0kgs	6.6kgs	6.6kgs
(Battery)电池	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PC	1PC	1PC	1PC
(Packing Dimension)包装尺寸	37 × 21.5 × 50CM	38.5 × 23.5 × 51CM	44 × 21 × 56CM	46 × 21 × 56CM
(20FT QTY)20小柜数量	780PCS	780PCS	560PCS	540PCS
(40HQ QTY)40高柜数量	1750PCS	1750PCS	1350PCS	1280PCS



(Model)型号	GF-16D-19Z	GF-18D-19Z	GF-20D-19Z
(Capacity)容量	16L	18L	20L
(Gross Weight)重量	5.5kgs	6.0kgs	6.0kgs
(Battery)电池	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PC	1PC	1PC
(Packing Dimension)包装尺寸	39 x 20 x 50CM	39 x 22 x 50CM	39 x 22 x 50CM
(20FT QTY)20小柜数量	780PCS	780PCS	780PCS
(40HQ QTY)40高柜数量	1750PCS	1750PCS	1750PCS



GF-20SD-19Z
专利号 202130268843.0
Patent NO.

(Model)型号	GF-16SD-19Z	GF-18SD-19Z	GF-20SD-19Z
(Capacity)容量	16L	18L	20L
(Gross Weight)重量	6.8kgs	6.8kgs	6.8kgs
(Battery)电池	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PC	1PC	1PC
(Packing Dimension)包装尺寸	46 x 20 x 56CM	46 x 20 x 56CM	46 x 20 x 56CM
(20FT QTY)20小柜数量	540PCS	540PCS	540PCS
(40HQ QTY)40高柜数量	1348PCS	1348PCS	1348PCS





(Model)型号	GF-12D-20Z	GF-16D-20Z	GF-20D-20Z
(Capacity)容量	12L	16L	20L
(Gross Weight)重量	5.0kgs	5.5kgs	6.0kgs
(Battery)电池	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PC	1PC	1PC
(Packing Dimension)包装尺寸	36 x 18.5 x 45CM	39.5 x 19.5 x 48CM	41 x 20.5 x 51CM
(20FT QTY)20小柜数量	935PCS	760PCS	655PCS
(40HQ QTY)40高柜数量	2270PCS	1840PCS	1590PCS



(Model)型号	GF-16SD-21Z	GF-20SD-21Z	GF-12D-21Z	GF-16D-21Z	GF-20D-21Z
(Capacity)容量	16L	20L	12L	16L	20L
(Gross Weight)重量	6.4kgs	6.8kgs	5.0kgs	5.5kgs	6.0kgs
(Battery)电池	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PC	1PC	1PC	1PC	1PC
(Packing Dimension)包装尺寸	46 x 20 x 56CM	46 x 20 x 56CM	36 x 19 x 45CM	37 x 21 x 49CM	40 x 22 x 50.5CM
(20FT QTY)20小柜数量	540PCS	540PCS	935PCS	735PCS	630PCS
(40HQ QTY)40高柜数量	1348PCS	1348PCS	2270PCS	1785PCS	1530PCS

SOLAR POWER SPRAYER

太阳能喷雾器



GF-20D-22Z
专利号 202130806231.2



背面有护腰
Waist protection cover at the back side



GF-20SD-22Z



(Model)型号	GF-16D-22Z	GF-20D-22Z	GF-16SD-22Z	GF-20SD-22Z
(Capacity)容量	16L	20L	16L	20L
(Gross Weight)重量	5.5kgs	6.0kgs	6.8kgs	7kgs
(Battery)电池	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PCS	1PCS	1PCS	1PCS
(Packing Dimension)包装尺寸	38 x 20 x 50CM	40 x 22 x 52CM	44.5 x 20 x 56CM	46.5 x 20 x 56CM
(20FT QTY)20小柜数量	780PCS	700PCS	570PCS	520PCS
(40HQ QTY)40高柜数量	1750PCS	1650PCS	1410PCS	1330PCS

适用范围:

适用于小麦、玉米、水稻、果树、温室大棚、葡萄、烟草、茶树、园艺等农业作物的施药，也用于大型场所的消毒和卫生防疫，特别适用于野外、高山、茶园等比较偏远地区的连续工作。

Applicable scope:

Well suited for wheat, corn, rice, fruit tree, greenhouses, grapes, tobacco, tea, horticulture and other agriculture crops spraying, also suited for the large spaces pest control and sanitation prevention. An excellent sprayer designed for continuous work for remote areas in the wild, high mountains, tea plantations.




GF-16D-01ZT
(Packing Dimension)包装尺寸
16L: 37.5 x 25 x 50CM
20L: 38.5 x 26 x 50CM

GF-16D-02ZT
(Packing Dimension)包装尺寸
16L: 37.5 x 25 x 50CM
20L: 38.5 x 26 x 50CM



GF-16D-23Z

GF-12D-23Z



可装双电池
Double battery available



桶内可安装风扇搅拌器
Fan mixer can be installed
inside reagent tank



Unique waist support system
Balance weight on user's back
独特腰部支撑系统
均衡背负重量分布



GF-20D-25Z

(Model)型号	GF-12D-23Z	GF-16D-23Z	GF-20D-25Z
(Capacity)容量	12L	16L	20L
(Gross Weight)重量	5.5kgs	6.5kgs	6.0kgs
(Battery)电池	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PC	1PC	1PC
(Packing Dimension)包装尺寸	36 × 19 × 45CM	36 × 19.5 × 49CM	41.5 × 20.5 × 50CM
(20FT QTY)20小柜数量	910PCS	820PCS	660 PCS
(40HQ QTY)40高柜数量	2210PCS	1990PCS	1600 PCS



GF-20D-24Z

GF-16D-24Z

GF-12D-24Z



可装双电池
Double battery available



12L侧面电池拆卸
Battery accessed from
the right side



桶内可安装风扇搅拌器
Fan mixer can be installed
inside reagent tank




背面有护腰
Waist protection cover
at the back side



Unique waist support system
Balance weight on user's back
独特腰部支撑系统
均衡背负重量分布

(Model)型号	GF-12D-24Z	GF-16D-24Z	GF-20D-24Z
(Capacity)容量	12L	16L	20L
(Gross Weight)重量	5.0kgs	5.5kgs	6.0kgs
(Battery)电池	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PC	1PC	1PC
(Packing Dimension)包装尺寸	36 × 19 × 45CM	37.5 × 20.5 × 49CM	41.5 × 20.5 × 50CM
(20FT QTY)20小柜数量	935PCS	740PCS	660 PCS
(40HQ QTY)40高柜数量	2270PCS	1805PCS	1600 PCS



GF-20D-03C

GF-16D-03C

GF-12D-03C



GF-20DL-03C



GF-20D-05C

GF-18D-05C

GF-16D-05C



(Model)型号	GF-20DL-03C	GF-20D-03C	GF-16D-03C	GF-12D-03C
(Capacity)容量	16L	20L	16L	12L
(Gross Weight)重量	7.5kgs	5.8kgs	5.3kgs	4.5kgs
(Battery)电池	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PC	1PC	1PC	1PC
(Packing Dimension)包装尺寸	40 x 27.5 x 84CM	35 x 24 x 58.5CM	34 x 23 x 57CM	31 x 20 x 56CM
(20FT QTY)20小柜数量	320PCS	570PCS	630PCS	810PCS
(40HQ QTY)40高柜数量	765PCS	1385PCS	1530PCS	1960PCS

(Model)型号	GF-20D-05C	GF-18D-05C	GF-16D-05C
(Capacity)容量	20L	18L	16L
(Gross Weight)重量	6.5kgs	6.0kgs	5.5kgs
(Battery)电池	12V8AH-12V12AH	12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PC	1PC	1PC
(Packing Dimension)包装尺寸	37 x 25 x 57.5CM	37 x 25 x 53CM	35 x 24 x 48CM
(20FT QTY)20小柜数量	530PCS	575PCS	700PCS
(40HQ QTY)40高柜数量	1285PCS	1390PCS	1725PCS



BIG POWER DOUBLE PUMP



GF-16D-05CC

GF-25D-02C

(Model)型号	GF-16D-05CC	GF-25D-02C
(Capacity)容量	16L	25L
(Gross Weight)重量	5.5kgs	9.5kgs
(Packing Quantity)包装数量	1PC	1PC
(Packing Dimension)包装尺寸	35 × 24 × 48CM	38.5 × 27.5 × 65CM
(20FT QTY)20小柜数量	700PCS	390PCS
(40HQ QTY)40高柜数量	1725PCS	950PCS



产品说明:

大弧面设计,符合人体曲线,背负舒适、紧贴强壮的线条,加上凹凸的细节处理,层次分明,药箱坚固有力量感大电机泵,大充电器,升压快,操作轻便省力,药箱与底座采用无损的倒扣,斜模式联结不渗漏,保护药箱寿命长、持久耐用。

Product Features:

Large arc design, according to human body curve, can be comfortable and closed to; Strong lines, plus the bump details, clear, strong sense of power; Big motor pump, big charger, quick pressure arising, high efficacy, easy operation. The medicine chest and the base adopts a lossless buckle, wedge connection without leakage, stand wear and tear.




GF-20D-01C

GF-25D-01C

(Model)型号	GF-20D-01C	GF-25D-01C
(Capacity)容量	20L	25L
(Gross Weight)重量	9.2kgs	9.5kgs
(Packing Quantity)包装数量	1PC	1PC
(Packing Dimension)包装尺寸	38.5 × 25 × 62CM	38.5 × 27.5 × 65CM
(20FT QTY)20小柜数量	410PCS	390PCS
(40HQ QTY)40高柜数量	1000PCS	950PCS

SPRAYER EXPLODED VIEW

部件分解图



1. 药液桶 Tank	15. 手柄开始 Handle
2. 大滤网 Tank filter	16. 胶管 Hose
3. 桶盖 Tank cover	17. 开关锁 (红色) Red lock
4. 胶圈 O-ring	18. 电压表 Voltmeter
5. 喷头 Nozzle	19. 摇杆夹 Rocker bar fixer
6. 背带 Belt	20. 连杆 Z-iron rocker
7. 电池 Battery	21. 摇杆套 Rocker bar sleeve
8. 桶底 Tank base	22. 气室压帽 Pump cover
9. 充电插座 Charger socket	23. 羊毛垫圈 Sealing washer
10. 充电器 Charger	24. 气室 Air compartment
11. 总开关 General switch	25. 摇杆 L- iron rocker
12. 喷杆 Lance	26. 密封球 Seal ball
13. 小滤网 Tank base filter	27. 皮碗 Cup ring
14. 水泵 Water pump	28. 密封阀 Seal valve



GARDENTOOLS SERIES

园林工具系列



S-43



S-44



S-45



GFH-02



GFH-01



GFH-03


(Model)型号	GFH-01	GFH-02	GFH-03
(Gross Weight)重量	10/11.5Kgs	10/11.5Kgs	15.5/16.5Kgs
(Single weight)单个重量	2.3Kgs	2.3Kgs	2.6Kgs
(Packing Quantity)包装数量	4 PCS	4 PCS	6 PCS
(Packing Dimension)包装尺寸	62×33×68CM	62×33×68CM	68×48×34CM
(Single packing dimension)单个彩盒尺寸	33×30×32CM	33×30×32CM	33×16×32CM

HANDLE POWER SPRAYER

手提动力喷雾器



GFT-01



P-16

P-19



GFT-02

(Model)型号	GFT-01	GFT-02
(Gross Weight)重量	5.5kgs	5.5kgs
(Packing Quantity)包装数量	1PC	1PC
(Packing Dimension)包装尺寸	25 x 22 x 29CM	25 x 22 x 29CM
(20FT QTY)20小柜数量	1760PCS	1760PCS
(40HQ QTY)40高柜数量	2470PCS	2470PCS

SEEDER MACHINE

播种机

产品特点:

可以用于芝麻、玉米、大豆、棉花、花生、瓜类、豆类等的播种。它具有很好的实用性。

优点:

- 1.体积小,重量轻,操作灵活方便,播种粒数准确,质量优。
- 2.适用于耕作土壤,适宜种植芝麻、玉米、大豆、棉花和其他作物。
- 3.可同时在光滑或起垄土地播种和施肥。
- 4.一个操作员每天可以播种约0.4-0.6公顷。它比传统方法种植节省了4-5倍的劳动力。有利于缩短劳动时间。

Product Features:

It can be used for sesame, corn, soybeans, cotton, melon seeds, peanuts, green beans etc. It is very practical.

Advantage:

1. Small size, light weight, flexible and convenient operation, sowing grain number accurately, superior quality.
2. Adapt to cultivated soil, suitable for planting sesame, corn, soybean, cotton and other dibbling crop.
3. Sowing and fertilizing at the same time on smooth or ridging land.
4. One operator can seed about 0.4-0.6 hectare per day, it saves 4-5 times of labour than the traditional method of planting. It is conducive to shorten the duration of labor.


(Model)型号	GFS-01	GFS-02
(Gross Weight)重量	2.05kgs	2.4kgs
(Packing Quantity)包装数量	1PC	1PC
(Packing Dimension)包装尺寸	81 x 12 x 14.5CM	81 x 13 x 20CM
(20FT QTY)20小柜数量	1868PCS	1350PCS
(40HQ QTY)40高柜数量	4300PCS	3270PCS



GFS-01

GFS-02

Model 型号	GF-A036	GF-A048
Product name 产品名称	Hand push seeder 手持播种机	Hand push fertilizer seeder 手推施肥播种机
Mouth number 嘴巴数量	12, 10, 9, 8, 7, 6 mouths adjustable	7, 6, 5 mouths adjustable
Spacing 播种间距	13-25 cm	20-33 cm
Suitable seed 可播种子	Corn, soybean, peanut, chickpea, cotton, etc. 玉米, 黄豆, 花生, 棉花等	
Hole seeding rate 穴播数量	1-2 seeds 1-2颗	1-2 seeds 1-2颗
Capacity 容量	2-3kgs	Seeds种子 2-3kgs, Fertilizer肥料 2-3.5kgs
G.W./N.W. 毛净重	10.2/9.0 kgs	12.3/11.0 kgs
Packing 包装	54 x 24 x 58 cm, 1pc/ctn	56 x 34 x 58 cm, 1pc/ctn
20FT/40HQ container load	370/865 pcs	260/620 pcs



GF-A036

GF-A048

FERTILIZER APPLICATOR

施肥器系列



GF-15DV-01C



GF-20DV-01C

WITHOUT BLOCK

WITH BLOCK



GF-20DV-02C



(Model)型号	GF-15DV-01C	GF-20DV-01C	GF-20DV-02C
(Capacity)容量	15L	20L	20L
(Gross Weight)重量	2.5kgs	5.5kgs	5kgs
(Battery)电池		12V8AH-12V12AH	12V8AH-12V12AH
(Packing Quantity)包装数量	1PC	1PC	1PC
(Packing Dimension)包装尺寸	44 x 24 x 42.5CM	46.5 x 27 x 53.5CM	45 x 27.5 x 53CM
(20FT QTY)20小柜数量	995PCS	500PCS	430PCS
(40HQ QTY)40高柜数量	2410PCS	1300PCS	1040PCS

BLOWER SERIES

迷雾机系列



GFB-07



GFB-02



GFB-05



GFB-03



GFB-06



GFU-02



(Model)型号	GFB-01	GFB-02	GFB-03	GFB-05	GFB-06
(Gross Weight)重量	10.9Kgs	15.3Kgs	19.5Kgs	20.5Kgs	20.6KGS
(Packing Quantity)包装数量	8PC	8PC	10PC	8PC	8PC
(Packing Dimension)包装尺寸	70.5 x 36 x 41.5CM	64 x 48 x 64CM	65.5 x 48 x 72.2CM	64.5 x 57.5 x 76CM	66.5 x 50.5 x 70CM
(20FT QTY)20小柜数量	2128PCS	1144PCS	1240PCS	808PCS	960PCS
(40HQ QTY)40高柜数量	5168PCS	2768PCS	3000PCS	2400PCS	2320PCS

KNAPSACK POWER SPRAYER

动力喷雾器



3GF-3A 20L



3GF-3A 26L



3GF-3A 4 stroke

(Model)型号	3GF-3A 20L	3GF-3A 26L	3GF-3A 4 stroke
Engine model	1E40F-3Z	1E40F-3Z	GX35
Tank Capacity	20L	26L	26L
Range	≥ 12m	≥ 12m	≥ 12m
Power of engine	2.9HP, 2.13kW/7500rpm	2.9HP, 2.13kW/7500rpm	0.9kW/6500rpm
Discharging Volume	41.5cc	41.5cc	37.7cc
N./G.weight	11kgs/12kgs	11kgs/12kgs	11kgs/12kgs
Dimension(mm)	490 x 415 x 730mm	490 x 415 x 800mm	490 x 415 x 800mm



GF-767



GF-769



GF-708

(Model)型号	GF-767	GF-769	GF-708
Matched engine	TU26/1E34F/139F/GX35/GX25	TU26/1E34F	TU26/1E34F/139F/GX35
Tank Capacity	20L/25L	15L	20L
Engine Model	TU26	TU26	TU26
Power of engine	1.2HP	1.2HP	1.2HP/7000rpm
Discharging Volume	25.6cc	25.6cc	25.6cc
Weight	10Kgs	10Kgs	10Kgs
Packing Dimension	405 x 330 x 610mm(20L) 405 x 330 x 640mm(25L)	405 x 330 x 590mm	405 x 340 x 640mm

GASOLINE WATER PUMP & GARDEN MACHINERY

汽油动力泵



GF-Q1



GF-Q2



GF-Q3



GF-Q4



GF-Q5



GF-Q6



GF-Q7



GF-Q10



GF-Q8



GF-Q9



GF-Q11

(Model)型号: GF-Q1/Q2/Q3/Q4
(Working Pressure)工作压力: 6-12Mpa
(Maximum Pressure)最高压力: 12Mpa
(Theoretical Flow)理论流量: 7-9L/MIN
(Motive Power)配套动力: 1.8Kw
(Power Supply)电源: 220v

Model: GF-Q5
Engine: 13HP
Bore*stroke: 88*64mm
Displacement: 389cc
Power Output: 8.2Kw
Fuel Tank Capacity: 6.5L
Weight: 31kgs
Carton Size: 505 x 415 x 490mm

Model: GF-Q6/Q7
Pump Style: self priming pump
Displacement: 27m³/h
Lift head: 28M
Suction head: 7M
Fuel Tank Capacity: 3.6L
Weight: 20.5kgs
Carton Size: 485 x 385 x 405mm

(Model)型号: GF-Q8/Q9
(Flow Rate)流量: 14L/MIN
(Speed)转速: 1450RPM
(G.W.)重量: 68Kgs
(Carton Size)包装尺寸: 765 x 607 x 620mm

Model: GF-Q10/Q11
Selection pump: 22
Pressure: 15-30kg/cm²
Capacity: 160L
Out put: 18-26L/min
Power: 6.5HP
Weight: 60Kgs
Carton Size: 1140 x 610 x 775mm

PORTABLE ELECTRIC SPRAYER SERIES

便携式电动喷雾器系列



GF-1D-01C



GF-1.5D-01C



GF-2D-01C

Input Voltage: 3.7
Input Current: 600MA-700MA
Input Power: 2W
Output Voltage: 3.7V
Output Current: 500MA-600MA
Output Power: 2W
Lithium battery capacity: 2400 Ma
Working time: around 3hours
Charging time: around 4hours
输入电压: 3.7
输入电流: 600MA-700MA
输入功率: 2W
输出电压: 3.7V
输出电流: 500MA-600MA
输出功率: 2W
锂电池容量: 2400毫安
使用时长: 3小时左右
充电时长: 4小时左右



GF-5D-01C



GF-5D-02C



GF-8D-02C



GF-1P



GF-2P



GF-5D-03C



可选多功能调节喷头
Can choose multi-function & adjustable nozzle

(Model)型号	GF-1D-01C	GF-1.5D-01C	GF-2D-01C	GF-5D-01C	GF-5D-03C	GF-8D-02C
(Capacity)容量	1L	1.5L	2L	5L	5L	8L
(Gross Weight)重量	14.5/16kgs	9.5/10.5Kgs	10.5/11.5Kgs	13.5/14.5Kgs	13Kgs	12/13Kgs
(Packing Quantity)包装数量	36 PCS	16 Pcs	16 Pcs	12 Pcs	8 Pcs	8 Pcs
(Packing Dimension)包装尺寸	61 × 52 × 48CM	61 × 43.5 × 43CM	61 × 43.5 × 48CM	61 × 52 × 52CM	66.5 × 35 × 54.5CM	62 × 38 × 59CM



GARDEN SPRAYER

家用园林喷雾器



GF-5L-03 GF-8L-03 GF-10L-03



GF-3L-04 GF-5L-04 GF-8L-04 GF-10L-04



GF-3L-01 GF-5L-01 GF-8L-01 GF-10L-01

(Model)型号	GF-5L	GF-6L	GF-8L	GF-10L	GF-12L
(Capacity)容量	5L	6L	8L	10L	12L
(Gross Weight)重量	8kgs	8.5kgs	9kgs	9.5kgs	10kgs
(Packing Quantity)包装数量	6PC	6PC	6PC	6PC	6PC
(Packing Dimension)包装尺寸	56.5 × 38 × 45CM	56.5 × 38 × 49CM	56.5 × 38 × 55CM	56.5 × 38 × 58CM	56.5 × 38 × 63CM
(20FT QTY)20小柜数量	1880PCS	1620PCS	1440PCS	1362PCS	1260PCS
(40HQ QTY)40高柜数量	4600PCS	3924PCS	3350PCS	3318PCS	3048PCS



(Model)型号	GF-1C	GF-1.5C	GF-2C	GF-3C	GF-0.5D	GF-1D
(Capacity)容量	1L	1.5L	2L	3L	500ML	1000ML
(Gross Weight)重量	6/7kgs	6.5/7.5kgs	7/8kgs	7/8kgs	6/8kgs	8/10kgs
(Packing Quantity)包装数量	20PC	20PC	20PC	20PC	100PC	100PC
(Packing Dimension)包装尺寸	58 × 46 × 30CM	63 × 50 × 33CM	66 × 54 × 33CM	65 × 47 × 48CM	60 × 46 × 47CM	71 × 59 × 55CM
(20FT QTY)20小柜数量	7000PCS	5400PCS	5000PCS	5000PCS	21500PCS	12100PCS
(40HQ QTY)40高柜数量	17000PCS	13000PCS	11260PCS	12400PCS	52400PCS	29500PCS



(Model)型号	GF-0.8A	GF-1.5A	GF-1.5G	GF-2G / 2E	GF-1H
(Capacity)容量	0.8L	1.5L	1.5L	2L	1L
(Gross Weight)重量	7.5kgs	8kgs	8kgs	9kgs	8kgs
(Packing Quantity)包装数量	25PC	20PC	20PC	20PC	24PC
(Packing Dimension)包装尺寸	70 × 46 × 30CM	64 × 52 × 33CM	64 × 52 × 33CM	69 × 53.5 × 35CM	48.5 × 40.5 × 56CM
(20FT QTY)20小柜数量	7200PCS	5000PCS	5000PCS	5000PCS	
(40HQ QTY)40高柜数量	17500PCS	12400PCS	12400PCS	10530PCS	




(Model)型号	GF-1.5F	GF-2F	GF-3E	GF-1B	GF-1.5B	GF-2B
(Capacity)容量	1.5L	2L	3L	1L	1.5L	2L
(Gross Weight)重量	8kgs	9kgs	11kgs	6.5/7.5kgs	7/8kgs	7.5/8.5kgs
(Packing Quantity)包装数量	20PC	20PC	20PC	20PC	20PC	20PC
(Packing Dimension)包装尺寸	64 × 52 × 33CM	66 × 54 × 33CM	70.5 × 53.5 × 39CM	54 × 43 × 29CM	57 × 44 × 32CM	56 × 44 × 37CM
(20FT QTY)20小柜数量	5000PCS	5000PCS	5000PCS	8300PCS	6900PCS	6000PCS
(40HQ QTY)40高柜数量	12400PCS	11260PCS	10530PCS	20000PCS	16900PCS	14900PCS




(Model)型号	GF-8W	GF-10W	GF-12W	GF-14W
(Capacity)容量	8L	10L	12L	14L
(Gross Weight)重量	6/5kgs	8/6kgs	8.5/6.6kgs	9/7kgs
(Packing Quantity)包装数量	12PC	12PC	12PC	8PC
(Packing Dimension)包装尺寸	62 × 59 × 55CM	65 × 63 × 60CM	75 × 63 × 62CM	62 × 53 × 66CM
(20FT QTY)20小柜数量	1680PCS	1368PCS	1152PCS	1080PCS
(40HQ QTY)40高柜数量	4080PCS	3324PCS	2796PCS	2640PCS





(Model)型号	GF-1J / 2J	GF-3J	GF-4J / 5J / 6J	GF-7J
(Gross Weight)重量	6.6/7.6kgs	5.7/6.7kgs	6/7kgs	12/13kgs
(Packing Quantity)包装数量	100PC	100PC	120PC	200PC
(Packing Dimension)包装尺寸	82 × 45 × 67CM	82 × 45 × 67CM	65 × 44 × 52CM	80 × 70 × 45CM
(20FT QTY)20尺小柜数量	8000PCS	8000PCS	22440PCS	
(40HQ QTY)40尺高柜数量	27200PCS	27200PCS	54360PCS	

(Model)型号	GF-9J (200ML / 300ML / 500ML)			GF-1FQ	GF-2FQ
(Gross Weight)重量	8.6/9.6kgs	9.7/10.7kgs	11.7/12.7kgs	15.5/16.5kgs	15.5/16.5kgs
(Packing Quantity)包装数量	100PC			500PC	500PC
(Packing Dimension)包装尺寸	58.5x41x41.5CM / 58.5x41x51.5CM / 68x37x59CM			55x36x46CM	55x36x46CM
(20FT QTY)20尺小柜数量	28000PCS / 22600PCS / 18700PCS			155500PCS	155500PCS
(40HQ QTY)40尺高柜数量	68000PCS / 54800PCS / 45300PCS			378000PCS	378000PCS



产品参数 Product information

(Power supply mode) 供电方式	Lithium battery 锂电池
(12V battery life) 12V电池续航	25-30KM
(20V battery life) 20V电池续航	35-45KM
(Charging time) 充电时长	about 4 hours 约4 小时
(N.W.) 产品净重	1.2KG
(12V peak pressure) 12V峰值压力	28BAR
(20V peak pressure) 20V峰值压力	30BAR
(Motor power) 电机功率	200W
(Packing Dimension) 包装尺寸	41 × 30 × 13CM



GF-16S-11Z



GF-2P GF-3P GF-4P GF-5P





DRIP TAPE WITH EMITTER INSIDE

闪镶贴片式滴灌带



抗堵性能好，
贴片滴头自带过滤窗，
科学的水流道设计，
保障流量均匀稳定。

Equipped with filter net for
drinker to prevent
The scientific design of water
channel guaranteed
the stable and uniformity of flowrate



产品参数 Product information

壁厚 0.16mm (6mil) Thickness
壁厚 0.18mm (7mil) Thickness
壁厚 0.2mm (8mil) Thickness
壁厚 0.3mm (12mil) Thickness
壁厚 0.4mm (16mil) Thickness

间距Spacing(cm)	流量Flow Rate(L/h)	每卷米数m/Roll
10	1.0	500
15	1.38	1000
20	2.0	1500
30	2.5	2000
	3.0	
	4.0	

SPRAY HOSE

喷雾软管



Φ 6.5 编织高压喷雾软管
6.5mm Braided high-pressure
spray hose



Φ 8.5 单线高压喷雾软管
8.5mm Single high-pressure
spray hose



Φ 8.5 三股四线高压喷雾软管
8.5mm Three ply four threaded
high-pressure spray hose



Φ 8.5 编织高压喷雾软管
8.5mm Braided high-pressure
spray hose



Φ 8.5 透明编织喷雾软管
8.5mm Transparent Braided
high-pressure spray hose



Φ 10 编织高压喷雾软管
10mm Braided high-pressure
spray hose



Φ 10 三股四线高压喷雾软管
10mm Three ply four threaded
high-pressure spray hose



Φ 13 编织高压喷雾软管
13mm Braided high-pressure
spray hose



Φ 8.5 透明花线三股编织管
8.5mm Transparent Braided
high-pressure spray hose



Φ 10 透明三股编织管
10mm Transparent Braided
high-pressure spray hose



Φ 13 三股四线高压喷雾软管
13mm Three ply four threaded
high-pressure spray hose



Φ 13 透明三股编织管
13mm Transparent Braided
high-pressure spray hose



Hose软管-01
Plastic joint hose



Hose软管-02
Inner flexible joint &
outer flexible joint
pvc hose 8.5mm



Hose软管-03
Inner flexible joint &
outer fixed joint
black hose



Hose软管-04
Transparent hose



Hose软管-05
Both inner flexible
joint pvc hose 8.5mm



Hose软管-06
Inner flexible joint &
outer fixed joint pvc
hose 8.5mm



Hose软管-07
Outer flexible joint
pvc hose 8.5mm



Hose软管-08
Outer flexible joint
pvc hose 8.5mm



Hose软管-09
Outer fixed joint pvc
hose 8.5mm



Hose软管-10
Outer flexible joint
pvc hose 10mm





Hose软管-11
Transparent orange
hose



Hose软管-12
Outer copper silk joint +
PVC hose + inner copper
silk joint

SPRAYER ACCESSORIES

喷雾器配件






SPRAYER ACCESSORIES





定制款CUSTOM-MADE





DIAPHRAGM PUMP
STRUCTURE DIAGRAM

隔膜泵结构图


泵体材料：尼龙
膜片：美国山都坪隔膜专用料—ExonMobil Santoprene
轴承支架：杜邦（DuPont）耐磨聚甲醛
压力开关：镀银触点，正常工作连续开、停不少于50万次
电机：自制电机，品质保证

市场很高的占有率，采用低摩擦系数的聚甲醛轴承支架，压力系数下降到最低，同类产品质量领先。

Material of main body : Nylon
Diaphragm: American Shanduping diaphragm special materi
—ExonMobil Santoprene
Bearing Support: DuPont low-wear polyformaldehyde
Pressure switch: Silver-plated contact, turn on and off no less
than 500,000 times during normal operations
motor:Self-made motor, quality guaranteed

High market occupancy, low-wear polyformaldehyde is adopted
to decrease the pressure coefficient to the lowest level, product
quality leads in this field.

- | | |
|-----|------------------------------------|
| 1. | 十字螺丝4×16（Cross head screw 4×16） |
| 2. | 十字螺丝3×14（Cross head screw 3×14） |
| 3. | 压力开关盖（Pressure switch cover） |
| 4. | 压力开关（Pressure switch） |
| 5. | 压力开关泵头（Pressure switch pump head） |
| 6. | 螺丝3×16（Screw 3×16） |
| 7. | 圆垫片（Round gasket） |
| 8. | 泵体（Pump body） |
| 9. | 轴承支架（Bearing support） |
| 10. | 偏心轮（Eccentric gear） |
| 11. | 608轴承（Bearing 608） |
| 12. | 螺丝4×10（Screw 4×10） |
| 13. | 电机横条（Motor bar） |
| 14. | 电机壳螺丝4×23（Motor cover screw 4×23） |
| 15. | 电机（Motor） |
| 16. | 电机壳（Motor cover） |
| 17. | 电机减震脚（Motor shock absorbing foot） |
| 18. | 膜片（Diaphragm） |
| 19. | 阀芯座（Valve core seat） |
| 20. | 阀芯（Valve core） |
| 21. | 弹簧（Spring） |
| 22. | 泵盖（Pump cover） |
| 23. | 压力头弹簧圆圈（Pressure head spring ring） |
| 24. | 压力头弹簧（Pressure head spring） |
| 25. | 垫片（Gasket） |



THE WORLD PLUG DRAWING

国际插头概况简图



代号 Configuration Code	A	B	C	D	E
简图 Configuration Diagram					
主要采用国家 Type of Power Supply	中国 美国 日本 China U.S.A Japan	美国 U.S.A	欧共体 Europe	欧共体 Europe	欧共体 Europe

代号 Configuration Code	F	G	H	I	J
简图 Configuration Diagram					
主要采用国家 Type of Power Supply	丹麦 Denmark	瑞士 Switzerland	意大利 Italy	英国 Britain	英国 Britain

代号 Configuration Code	K	L	M		
简图 Configuration Diagram					
主要采用国家 Type of Power Supply	澳大利亚 Australia	澳大利亚 Australia	以色列 Israel		

上述简图列出了全世界的电源线插头一个概况，所列图形是关于工业国家电器系统的标准图形是非常精确可靠的。
This chart presents an overview of power supply systems throughout the world,
The configurations listed for the electrical systems of industrialized counfries are accurate and reliable.